





A. Dimensional Figures:



B. Standard DC Motor Specifications:



DESCRIPTION	Rated Voltage	Speed	Current	Torque	Output	Eff
	VDC	RPM	mA	g-cm	W	%
NO LOAD	6V	3600	36			
	12V	6000	38			
	24V	6000	20			
AT MAX. EFF	6V	3000	180	21	0.62	60.9
	12V	5020	200	30	1.5	63.1
	24V	5100	104	30	1.6	64.0
AT STALL	6V		880	120		
	12V		1050	180		
	24V		510	180		

C. GB 35M Gear Motor Specifications :

Ratio "L"-Size	V	1/10	1/30	1/100	1/250	1/500	1/1000
		12mm					
No load (rpm)	6	360	120	36	14	7.0	3.6
	12	600	200	60	24	12	6.0
	24	600	200	60	24	12	6.0
Rated Speed (rpm)	6	270	91	27	24	5.0	2.7
	12	500	166	50	20	10	5.0
	24	510	166	51	20	10	5.0
Rated Torque (Kg-cm)	6	0.2	0.4	1.2	2.5	5.0	5.0
	12	0.3	0.5	1.5	3.0	5.0	5.0
	24	0.3	0.5	1.5	3.0	5.0	5.0